

Wîpac piko kamâcipîkiskwâtâyahkok kitawâsimisinawak ekâ kakwemwestâcîhkahkik kâkîskweskâkocik miswepayihcikana ekwa pîhtwâwin ekwa minihkwewin

Ewakohci ôma onîkihikomâwak ewako ôma masinahikan kahotâpanihocik ehosihtamâkawiyek kawîcîhikoyek. Kîyânaw ôma onîkihikomâwak kâ-ohpikinâwasoya e-akâwatamawâyahkok kitawâsimisinawak miyopimâtisiwin kahkiyaw kîkway ka-miywâsik kakwewîcîhâyahkok kweyask kakwepimâtisicik. Kîyânaw ôma kâkiskinohamawâyahkok kanakateyihtamahk tânsi kîyânaw ehisiwaskawîyahk. Ekwa kâkîpîkiskwâtânawak kweyask kanawasônâmâsocik ôma pimâtisiwin. Ewakohci ôma masinahikan kâ-osihcîkâtek kawîcîhikoyahk kesi-pimiswatâyahkok kitawâsimisinawak.

Mistahi kîkway itahkon kawanisimikocik wâwîs cî kâhatihohpikicik. Âskaw mâna namoya kikiskeyihtenaw tân'si kesi wîcîhâyahkok kitawâsimisinawak âta enohtepakitinâyahkok. Namoya kikiskeyihtenanaw tânsipî kapakitinâyahkok wîyawâw kweyask ka-apacihtâcîk omâmitoneyicikaniwâw. Tânsipî kanakânâyahkok kitawâsimisinawak kawihitamawâyahkok mistahi esâkihâyahkok kitawâsimisinawak ekâ kawanitâkoskecik. Tâp'we kâmiywâsin ayiwâk kawîcîhikoyahk. Piko ôma kehteyak kâspeyimoyahk kawîcîhikoyahkok kweyask kîkway kakwehitastamawâyahkok kitawâsimisinawak.

Ewakoni ôhi masinahikana kiskeyihtamowina kawîcîhikonaw ekosi ôma ewîhisi wîcîhikawiyek.

1. Kapehitisahamâkawin masinahikan
2. Ekwa mâna peyak oskinîkiskwew otâcimowin
3. Kakiskinohamâkawiyek mâna tân'si ehisinâkwâki
4. Ôhi mâcimaskihkiya kanisitawinamek
5. Tânsi kesiwaskawitotaman ôhi maskihkiya kîspin wâpahtamani
6. Kikiskeyihten cî kîspin awiyak ehohpikîtat ekotowahk mâcipîhtwâwin nân'taw cîki ita kâwîkiyan
7. A message from Aboriginal community members
8. How do I talk to my teenager about drugs? (Alberta Health Services - AADAC) **(English only)**
9. Helping Children to Be Resilient (Family Centre) **(English only)**
10. 40 Developmental Assets for Adolescents (Search Institute) **(English only)**
11. The Community Solution to Gang Violence **(English only)**
12. Use of traditional parenting methods by Aboriginal agencies

Ôtenawiyiniwak ôki metoni kinohtewîcîhikowâwak tânsi kesi ohpikinâwasoyan kakwe wîcîhitoyahk piko ekosi piko kesimiyopayin. Kakwekiskeyihtaman piko awîna kasewepitamawat kîspin enitaweyihtaman kawîcîhikawiyen.

- To talk to someone about your child or to ask about resources call: The Support Network 2-1-1
- To talk to someone about drugs or alcohol call: Alberta Health Services toll free 1-866-332-2322 (previously called the AADAC Help Line)
- To talk to someone about health concerns call: HEALTHLink Alberta; in Edmonton 780-408-5465 (LINK) or 1-866-408-5465 (LINK) *Telephone advice available 24 hours a day, 7 days a week.*

Ekosi mâka

Ekwa mîna peyak oskinîkiskwew otâcimowin

Ewako ôma ewîhâcimostâtakok. Nîkân ôma nikahâcimôn tânisi ekîpehisipimâtisiyân kâkîhapisîsiyan ekîmisiwanâcihikawiyân enewopiponeyân ekîkitimahikawiyân.

Mistahi ninîkihikwak nestaw kîkisiweyihtamwak namoya ohci kiskeyihtamwak tânisi kesi wîcihicik. Ekospî ohci kîpehayiman nikîhotinikawin nikîkanaweyimikawin môniaâsinâhk pikwîta mihcetimôniaânâhk.

Nîsosâp ehitahtopiponeyân nikîmâciwâwanitâkoskân. Emâcihotinamân ôhi kâmayatâhki maskihkiya. Ekakwewîcewâkaniyân awiyakak mâka namoya kweyask nitohcinawasônâwak niwîcewâkanak. Piyisk ekwa ayiwâk kîmâmâyipayin piyisk nikîkipahokâson aciyaw.

Ispî ayinânewsâp ehispîtisiyân. Nikînakiskamâson oskinîkîs nikîwîcetonân ekwa awâsis nikîhayâwânân mâka nikîpîkopayinân. Ekota ohci ayiwâk esohkepayiki macimaskihkiya nikîmâcihapacihtân ekosi nikîhitâkamikisin nîswâskiy.

Kekâc niwanihtân nimâmitoneyicikan. Piyisk ekwa ekipahikâsoyân kâmâcimâmitoneyimak nikosis ekaskeyimak ekwa emâmitoneyihtamân ekosi ôma ekwa takîpônâkamikisiyân ehiteyihtamân pîtos ôma ekwa kakîsimâmitoneyihtamân piyisk ôhi nikanipahikon. Ekota ekwa kâmâcimâmitoneyihtamân nimâcihayamihân ekwa mânito kawîcihit. Ekwa mîna ekwa nisewepitamâwak ninîkihikwak kawîcihicik ewîhtamawakik pîtos ôma enohtehisiwaskawiyân ekosi nikîpenâtikwak nikîwetahikwak. Nitâcimostak awa nikâwiy ekîpîkiskwestamawit kaponîkaman ôhi macimaskihkiya. Ekota ohci nikîpônîkawâwak niwîcewâkanak namoya kweyask kâkîhohcipimâtisicik. Ekota ohci kotakak nitaspeyimon kawîcihicik.







Anohc ekwa niwîcihitâson ita awâsisak kâkanaweyimîcik nîsta ekwa metoni ehatimiyohayâyân ninisitohtawâwak ôki awâsisak tânite ehotohtecik. Anohc ekwa pîtos nisiwepinikân nitatoskân ekwa mîna nisihtoskâk niwîcewâkan ewîcihit.






Nîsta ekwa okâwîmâw nimâmitoneyihten tânisi kahisihohpikihakik nitawâsimisak osâm ohci kâkîpehisihohpikîkawiyân. Nikiskeyihten ekwa tânisi kesihohpikihawâsoyân. Nikakwewîcihâwak nitawâsimisak. Anohc ekwa nikiskeyihten tânisi kesiwîcihakik nitawâsimisak kanaheyihtahkik tânisi kweyask kahisimanâcihisot.






Mistahi nisâkihâwak nitawâsimisak ekwa nikakweskinohtahâwak. Mistahi ekwa ehiteyihtamâhk nipimâtisiwininân.






Ekâ wihkac kapakiteyihdamihk kahahkameyimok. Katâpowakeyihmahk anohc ekwa nikikiskeyihten tânisi kesi pimâtisiyân kahahkameyimoyân ekâ kawanikiskisiyân kimanitôminaw ekwa kweyask kapimohtahakik nitawâsimisak ekâ kahotinahkik pîhtwâwin ekwa minihkwewin.

Ekospî ninîkhihwak nîya nikîwîcihihwak. Ekwa nitâpowakeyihten onîkhihkomâwak ekwa mâmawihotâwîmâw kâspeyimok.

SUBSTANCE PHOTO	DRUG NAME	COMMON OR STREET NAME	PACKAGING	EFFECT SOUGHT	PHYSICAL SIGNS & SYMPTOMS OF USE	RISKS & LONG TERM EFFECTS
CONTROLLED SUBSTANCES (COMMONLY KNOWN AS STREET DRUGS) ARE ILLEGAL IN CANADA UNDER THE "CONTROLLED DRUGS AND SUBSTANCES ACT".						
	CANNABIS - MARIJUANA - WEED OIL - HASHISH - HASH OIL	Pot Grass Weed Herb Reefer Hash Kush	 Jewellery Baggies Sandwich Baggies Canned	Calmness Escape Euphoria Hallucinations Relaxation Sensory distortion	Crave munchies Skunky smell Increased heart rate Forgetfulness Sensitivity to light Immobility Red eyes	Anxiety Paranoia Liver / Lung damage Increased cancer risk Irritability Memory loss Weak immune system
	ECSTASY (MDMA)	Adam E X XTC Love drug Essence Go	Jewellery Baggies Pill form has a non-professional look/finish, carry odd designs, look homemade.	Enhanced emotions Euphoria Heightened attention Increased sensitivity to touch, smell, light Increased stamina	Accelerated heart rate Blurred vision Clenching of jaw Nausea Increased blood pressure Hallucinations Insomnia Shakes and tremors Chills or sweating Vomiting	Anxiety Brain Damage Convulsions Depression Inability to control body movements Kidney failure Cardiovascular failure Panic Paranoia Death
	METHAMPHETAMINES CRYSTAL METH ** AVOID DIRECT CONTACT WITH METH, IT CAN BE ABSORBED DIRECTLY THROUGH UNPROTECTED SKIN **	Crank Crystal Fire Glass Ice Meth Speed Tweek Jib	Jewellery Baggies (Can be sold in points .1 of a gram)	Decreased need for sleep Euphoria Heightened attention Increased confidence levels Physical energy Weight loss	Agitation / Irritability Dilated Pupils Elevated blood pressure Involuntary jaw clenching Impulsiveness Unable to sleep Loss of appetite Picking at face Tremors and convulsions	Irrational paranoia Delusions / Delirium Inflammation of heart lining Outburst of unprovoked violence High risk of addiction Suicidal thoughts and feelings Elevated body temperature Involuntary facial movements Toxic psychosis
	COCAINE CRACK COCAINE (CHEMICALLY ALTERED COCAINE)	Blow Coke Rocks Freebase Snow Crack Food	Spit Balls (Corners of sandwich bags) 8 Ball (3.5 g = 7 spit balls)	Extreme pleasure, power, and strength Feeling of mental alertness Freedom from pain Immediate 'Rush' Sexual arousal	Dilated pupils Accelerated breathing Dry mouth Elevated body temperature Increased blood pressure Increased heart rate Loss of appetite Obsessive, repetitive activities Talkativeness Stuffy nose	Brain seizures Confusion Depression (Sadness) Eroded nasal septum Feeling of bugs crawling on skin Sleeplessness Irrational violent outburst Headaches Heart attacks / Strokes Death
	GHB (GAMMA HYDROXY BUTERATE)	Cherry Meth Easy Lay Everclear Fantasy Goop Georgia Home Boy Grievous Bodily Harm Jib Liquid Ecstasy Soap	Jewellery Bags - powder Glass Vials - liquid	Bodybuilding Intoxication Relaxation Sociability	Drowsiness Impaired coordination Electrolyte imbalance Impaired hearing Impaired judgment Lack of motor control Lowered heart rate Reduced inhibitions Slowed breathing	Coma Date rape Dependence / Addiction Difficulty breathing (when combined with alcohol) Loss of reflexes Nausea (when combined with alcohol) Overdose Seizure Death

SUBSTANCE PHOTO	DRUG NAME	COMMON OR STREET NAME	PACKAGING	EFFECT SOUGHT	PHYSICAL SIGNS & SYMPTOMS OF USE	RISKS & LONG TERM EFFECTS
 <p>KETAMINE IS A HALLUCINOGEN, CLOSELY RELATED TO PHENCYCLIDINE (PCP).</p>	KETAMINE	Black Hole Cat Valium K Kit Kat Special K Super C Vitamin K	Jewellery Bags - powder Foil Folds Glass Vials - liquid	Altered state of consciousness Dreaminess Hallucinations Intoxication Numbness of extremities	Delusions Disassociation (mind to body) Incoherent speech Increased blood pressure Foul taste in mouth and throat	Amnesia Delirium (extreme confusion) Depression High blood pressure Impaired motor function Respiratory problems Loss of ability to breath Death
	PSILOCYBIN	Magic Mushrooms Shrooms Caps	Jewellery Baggies	Altered state of consciousness Insight Hallucinations Sensory distortion	Distorted sense of reality Feeling out of control / Delusions Hallucinations / Panic Insomnia Intoxication	There is no evidence that Psilocybin causes a physical or psychological dependence. May hallucinate for up to 4 days
 <p><i>Khat Leaves</i> ↑ <i>Khat Shrub</i> ↑</p> <p><i>Khat Bundles Ready For Shipment</i> ↑</p>	KHAT (CATHA EDULIS)	Abyssinian Tea African Salad Chat Kat Khat Oat Miraa (In Kenya) Qat (In Yemen) Tschat (In Ethiopia)	Bundle form wrapped in banana leaves	Feeling of exaltation Liberated from space / time Increase in confidence, friendliness, contentment Positive sexual effects and arousal Dispel feeling of hunger	Dilated pupils Physical exhaustion Violent outbursts Hallucinations	Anorexia Gastric disorders Hyperactivity Insomnia Khat induced psychosis Maniac behaviours Suicidal depression
	ANABOLIC STEROIDS	Anavar Deca-Durabolin Cyclomen Halotestin Oxandrin Winstrol Synthetic Testosterone Methyl-1-Testosterone	Pharmaceutical packaging M-1-T is found in Supplements	Enhance performance Increase muscle mass Increase muscle strength Fast recovery after intensive training / exercise	Disfiguring acne on shoulders, upper back, arms and face Cramps Depression Enlargement of breasts Decreased sperm count Male pattern balding	Liver / Kidney problems Risk of heart problems Premature delay of bone growth Tendonitis Muscle tears Nosebleeds Various types of cancer
 <p>HEROIN IS AN OPIATE DERIVED FROM MORPHINE, WHICH IN TURN IS DERIVED FROM RAW OPIUM HARVESTED FROM AN ASIAN SPECIES OF POPPY FLOWER.</p>	HEROIN	China White Chiva Dope Horse Junk Smack Tar Brown H	Grains (14 grains to a gram)	Suppression of pain Surge of euphoria Warm, flushed sensation	Constricted pupils Decreased heart rate Drowsiness Dry mouth / Loss of appetite Itchy skin Needle marks (intravenously) Slowed respiration Stupor Vomiting	Collapsed veins (intravenously) Coma Hepatitis Arthritis / Rheumatologic problems Liver / Kidney disease Risk of dependence / Severe withdrawal Impotence Muscle weakness Death

SUBSTANCE PHOTO	DRUG NAME	COMMON OR STREET NAME	PACKAGING	EFFECT SOUGHT	PHYSICAL SIGNS & SYMPTOMS OF USE	RISKS & LONG TERM EFFECTS
 <p>LSD IS USUALLY SOLD IN THE FORM OF BLOTTERS OR TABLETS.</p>	LSD	Acid	Blotter papers	Altered state of consciousness	Accelerated heart rate	Anxiety
	(LYSERGIC ACID DIETHYLAMIDE)	Blotter	Powders		Elevated body temperature	Coma
		Cid	Tablets		Feeling out of control / Delusions	Convulsions
		Doses			Hallucinations	Depression (sadness)
		L			Hypertension	Heart failure
		Microdots			Lack of coordination	Flashbacks
		Trips			Sleep disorder	Incoherent speech
Window Pane			Violent outbursts	Lung failure		
				Vomiting	Permanent distortion of reality	
PSYCHOACTIVE SUBSTANCES THAT ARE CURRENTLY 'LEGAL' TO PURCHASE; USAGE MONITORED BY "CONTROLLED DRUGS AND SUBSTANCE ACT"						
	SALVIA DIVINORUM	María Pastora	Extracts	Improved Mood	Confusion	Loss of consciousness
		Salvia	Fresh / dried leaves	Calmness	Less in control	No perception or recollection
		Sally-D	Plant cuttings		Heightened sense of color	Loss of all control
			Seeds		Spontaneous laughter	Vertigo
			Whole plants		Strobing visual affects	Out of body experience
HOUSEHOLD AND INDUSTRIAL PRODUCTS WHOSE COMMON TRAIT IS THAT SNIFFING THEIR FUMES PRODUCES PSYCHOACTIVE EFFECTS. (COMMON USERS: 8 - 18 YEARS OLD)						
	INHALANTS	Adhesive Spray	Manufacturers	Mental excitement	Delusions	Asphyxiation
		Airplane glue	packaging		Dilated pupils	Brain damage
	VOLATILE SOLVENTS	Cleaning fluid / sprays		Effect compared to an instantaneous alcohol intoxication	Distorted view of reality	Coma
		Cooking sprays			Dramatic mood swings	Delirium (extreme confusion)
		Correction fluid			Drunken behaviour	Headaches
		Deodorant			Impaired judgment	Heart attack
		Dust Off			Light-headedness	Liver / Kidney / Lung damage
		Freon			Loss of motor coordination	Nosebleeds
		Hair spray			Nausea	Reduced sense of smell
		Gasoline			Vomiting	Suffocation
		Nail polish / remover			Violent / Erratic behaviour	
		Paint thinner / remover			Death	
	INHALANTS	Laughing Gas	Manufacturers	Euphoria	Confusion	Brain damage
		Aerosol Whipped Cream	packaging		Drunken behaviour	Heart failure
		Club / Party balloons			Pain relief	Gigging
	NITROUS OXIDE			Mental excitement	Hallucinations	Liver damage
					Impaired judgment	Loss of muscle control
					Loss of motor coordination	Stupor
					Nausea	Suffocation
				Vomiting	Death	
ANY PRESCRIPTION DRUGS OR OVER THE COUNTER MEDICATIONS USED FOR NON-MEDICAL PURPOSES CAN CAUSE SERIOUS HEALTH PROBLEMS.						
	CODEINE	Pain Pills	Pharmaceutical	Euphoria	Apathy	Constipation
		T3	packaging	Pain relief	Constricted Pupils	Dependence / Addiction
		T4	Syrup		Decreased heart rate	Dizziness
			Capsules		Drowsiness	Light-headedness
			Pill form		Inability to think clearly	Nausea
				Slowed respiration	Overdose	

SUBSTANCE PHOTO	DRUG NAME	COMMON OR STREET NAME	PACKAGING	EFFECT SOUGHT	PHYSICAL SIGNS & SYMPTOMS OF USE	RISKS & LONG TERM EFFECTS
	MORPHINE	Dreamer M Morf MS Contin Peelers White Stuff	Vials Syringes Pill form	Euphoria Pain relief Sensation of floating	Constricted Pupils Decreased heart rate Drowsiness Dry mouth Inability to think clearly Inability to stay alert Slowed respiration	Constipation High risk of dependence / addiction Loss of appetite Mental deterioration Muscle weakness Overdose (fatal) Reproductive problems
	DEXTROMETHORPHAN	DXM DM Tussin Roboing Triple C's Dex	Pharmaceutical packaging Syrup Capsules Pill form	Mood lift Euphoria Giggling Dreamlike state	Panic Dread Disassociation (mind to body) Vomiting Dizziness Itching	Permanent bodily damage Depression Isolation from others Dependence / Addiction Overdose Death
	OXYCODONE	Hillbilly Heroin Kicker OC Ox OxyContin Percocet Percs	Pharmaceutical packaging Pill form	Euphoria Pain relief Sensation of floating	Constricted Pupils Decreased heart rate Drowsiness Dry mouth Inability to think clearly Inability to stay alert Slowed respiration	Constipation Convulsions / Seizure Harmful to unborn babies High risk of dependence / addiction Mental deterioration Muscle weakness Overdose
ALCOHOL AND TOBACCO ARE CONSIDERED PSYCHOACTIVE SUBSTANCES, THEIR SALE IS LICENSED & CONTROLLED, THEIR USE IS REGULATED.						
	ALCOHOL	Beer Booze Hard Liquor Juice Sauce Spirits Wine	Manufacturers packaging	Impairs memory Intoxication Loss of inhibitions Relaxation Relief from pain and anxiety Sociability	Aggressiveness Blurred vision Distorted sense of reality Exaggerated / Erratic emotions Impaired coordination Impaired judgment Lack of motor control Reduced inhibitions Slurred or incoherent speech	Blackouts Cancer Central nervous system damage Liver damage (Cirrhosis) Dependence / Addiction Heart damage Memory loss Poor appetite Stomach ulcers Sexual impotence Vitamin deficiencies Death
	NICOTINE	Cigarettes Cigars Pipe Tobacco Smokes Snuff	Manufacturers packaging	Calmness Sociability Stimulation Weight loss	Coughing Increased blood pressure Increased heart rate Reduced appetite	Cancer Chest pain Wheezing Chronic Bronchitis Dependence / Addiction Emphysema Respiratory infections Stroke

REFERENCES: EDMONTON POLICE SERVICE - DRUG SECTION
 HEALTH CANADA - CANADA DRUG STRATEGY WEBSITE: http://www.hc-sc.gc.ca/ahc-asc/activit/strateg/drugs-drogues/index_e.html
 DRUGS KNOW THE FACTS CUT THE RISK, PUBLISHER: COMITE PERMANENT DE LUTTE A LA TOXICOMANIE (2004)
 AADAC (ALBERTA ALCOHOL AND DRUG ABUSE COMMISSION) & WEBSITE: www.aadac.com

DRUG GLOSSARY COMPILED BY: Cathy A. Backewich - Edmonton Police Service Volunteer Email: cbackewich@coleskids.org

PUBLISHED: FEBRUARY 2009

Øhi mâcimaskihkiya kanisitawinamek

The term drug paraphernalia refers to any equipment that is used to produce, prepare, conceal, and consume illicit drugs. Identifying drug paraphernalia can be challenging for any parent.

Dealer-specific products are used by drug traffickers for producing or preparing illegal drugs for distribution at a street level. Items used for preparing drugs include, but are not limited to: scales, vials, jewel baggies, plastic wrap and tinfoil.



The items used for consuming drugs are commonly marketed specifically to youth. They are designed with colourful logos and often disguised as pretty trinkets to trick you into believing they are harmless. Other items include syringes, light bulbs, writing pens, pop cans, straws, spoons and lighters, to name a few.



Normal household items are often used to conceal illegal drugs. These items include, but are not limited to cell phones, pagers, CD players, magic markers, cosmetic containers, cans with false bottoms; basically, any item that can be carved or hollowed out can be utilized by a drug user.



Lipstick dispenser hides a drug pipe.



Hollow pager adapted to conceal drugs.



Felt tip marker with internal drug pipe.



Soft drink can with false bottom.

Look for and learn to identify drug paraphernalia.

Tânîsi kesiwaskawitotaman ôhi maskihkiya kîspin wâpahtamani

All adults play an important role in the lives of children. As a parent, guardian or caregiver, you are the role model that holds the greatest power, impact and influence on your child's attitude towards drug use.

What Can You Do?

Gain knowledge on the substances that are a danger to your children: what these substances look like, what they are known as, what the physical signs are if the child is using, and what to do if you find these substances in your home or property.

Keep prescription drugs, alcohol and tobacco products in a secure location that is not easily accessible to children. Keep track of these substances to ensure that they do not go missing without your knowledge.

If you find Street Drugs: Be careful handling any of these substances or drug paraphernalia. Use rubber gloves if you must move them and avoid holding them near your face or exposed skin. For proper disposal of these drugs, please contact your local police station for further advice and assistance. If you choose to drop off drugs at the police station, please notify them in advance.

- | | | |
|------------------------------|-------------------------|--------------|
| ○ Downtown Division Station | 9620-103A Avenue | 780-421-2200 |
| ○ Southeast Division Station | 104 Youville Drive East | 780-426-8200 |
| ○ Southwest Division Station | 9710-51 Avenue | 780-426-8300 |
| ○ West Division Station | 16505-100 Avenue | 780-426-8000 |
| ○ North Division Station | 14203-50 Street | 780-426-8100 |

Marijuana Grow Ops

If you suspect a Grow Op in your neighbourhood . . . **DO NOT INVESTIGATE OR ACT ALONE**. Contact Edmonton Police or Crime Stoppers at 1-800-222-8477.

Meth Labs

If you should encounter or suspect a Meth Lab . . . **GET OUT! Leave The Area At Once** and contact the Edmonton Police Complaint Line 780-423-4567. Outside of Edmonton contact Crime Stoppers at 1-800-222-8477.

Meth Labs are extremely dangerous. Many of the chemicals found in these labs are very corrosive or flammable. Vapours that evolve from chemical reactions attack mucous membranes, skin, eyes and the respiratory tract. Some chemicals will react with water or other chemicals and cause fire or explosion.

Anyone without proper training and protective gear should stay at least 500 feet away from any suspected Meth Lab.

You CAN Make A Difference!

**Kikiskeyihten cî kîspin awiyak ehohpikitât ekotowahk
mâcipîhtwâwin nân'taw cîki ita kâwîkiyan**

Marijuana houses are for growing marijuana plants. Crime rings sell the drug for money or other drugs. There are many things you can do to keep your street safe from drug houses.

1. Know your neighbours.
2. Read the brochure: *Marijuana Grow Ops: A Growing Hazard*.
3. Check this website for information on marijuana houses: www.edmonton.ca/safedmonton
4. Notice if a house looks different than others on your street:
 - No snow on rooftop.
 - Water stains.
 - Water build-up.
 - Covered windows.
 - Bright lights on all the time.
 - Steam from vents all the time.
 - Odd, strong smells.
 - No garbage.
 - No groceries.
 - Visits by crop “sitter.”
5. Call Crime Stoppers (1-800-222-8477) so police can check. You do not have to give your name.
6. If you are a landlord, check tenant references.
7. Keep track of who moves into your neighbourhood.

Marijuana houses affect neighbours because there is a chance of:

- Fire
- Electrocutions
- Violence

Marijuana growing also causes:

- Higher energy costs to everyone.
- Changes to property value.
- Fumes and toxic mould.
- Need for major repairs to houses.

A Message from Aboriginal Community Members...

*Kîspin kimoweyihten
sewepitamawakik aniki simâkanisak
ite kâwîkiyan anihi
kâmasinahikâteki.*

*Ewakoni ôhi kâmasinahikâteki
kanisitawinaman kîspin
wâpahtamani kakiskeyihten.
Kanisitawinen ehisinâkwâki ôhi
maskihkiya ekwa âpacihcikana
kâpacihtâcik.*

*Ekwa kakiskeyihtenâwâw
nisitawinâkohcikewak âtiht mâna
mistahi enipâcik emihkwaskâpicik.
Enihtâkisiyopayicik âhpo namoya
emîcisocik ekwa tâpiskoc
enipahinohtekatecik neyistaw.
Âhpo âtiht ehatisîsipopayicik ekwa
âtiht mâna pâpwâkomipayiwak.*

*Kweyask kakanaweyihtamihk
kweyask kanâkateyihhtamihk
misiwepayicikana kîspin kîkway
kitayânâwâw.*

*Kîspin kimoweyimâwak
kitawâsimisak ekosi ehitâkamikisicik
sewepicike.*